


```

        </SaveOptions>
    </Options>
    <Objects xsi:type="AccountUser">
        <Client>
            <ID>510006456</ID>
        </Client>
        <Name>John Doe</Name>
        <UserID>johndoe@testpmi.com.reev</UserID>
        <CustomerKey>johndoe@testpmi.com.reev</CustomerKey>
        <Email>johndoe@example.com</Email>
        <NotificationEmailAddress>johndoe@example.com</NotificationEmailA
address>

        <Password>Welcome123456789!</Password>
        <MustChangePassword>true</MustChangePassword>
        <activeflag>true</activeflag>
        <DefaultBusinessUnit>510006603</DefaultBusinessUnit>
        <SsoIdentities>
            <SsoIdentity>
                <IsActive>1</IsActive>
                <FederatedID>johndoe</FederatedID>
            </SsoIdentity>
        </SsoIdentities>
    </Objects>
</CreateRequest>
</s:Body>
</s:Envelope>

```

Connection JSON in Saviynt

```

{
  "authentications": {
    "userAuth": {
      "authType": "oauth2",
      "httpHeaders": {
        "contentType": "application/x-www-form-urlencoded"
      },
      "authError": [
        "InvalidAuthenticationToken",
        "AuthenticationFailed",
        "FAILURE",
        "INVALID_SESSION_ID"
      ],
      "url": "https://apple.marketingcloudapis.com/v2/token",
      "httpMethod": "POST",
      "httpContentType": "application/x-www-form-urlencoded",
      "errorPath": "errors.message",
      "maxRefreshTryCount": 5,

```

```

"tokenResponsePath": "access_token",
"tokenType": "Bearer",
"authHeaderName": "Authorization",
"httpParams": {
  "refresh_token": "${refresh_token}",
  "clientId": "Abc",
  "clientSecret": "123"
},
"retryFailureStatusCode": [
  401,
  403,
  500
]
}
}
}
}

```

addAccessJSON

```

{
  "call": [
    {
      "name": "BusinessUnit",
      "connection": "acctAuth",
      "url": "apple",
      "httpMethod": "POST",
      "httpContentType": "text/xml",
      "httpParams": "<?xml version='1.0' encoding='utf-8'?">
<soap:Envelope xmlns:wsa='http://schemas.xmlsoap.org/ws/2004/08/addressing'
xmlns:soap='http://schemas.xmlsoap.org/soap/envelope/'
xmlns:xsd='http://www.w3.org/2001/XMLSchema'
xmlns:xsi='http://www.w3.org/2001/XMLSchema-
instance'><soap:Header><wsa:Action>Configure</wsa:Action><wsa:MessageID>urn:uuid:04765
906-5469-4a79-a85a-2c9cc3a15040</wsa:MessageID><wsa:To>apple</wsa:To><fueloauth
xmlns='http://exacttarget.com'>${access_token}</fueloauth></soap:Header><soap:Body><Con
figureRequestMsg
xmlns='http://exacttarget.com/wsd/partnerAPI'><Action>assign</Action><Configurations><Co
nfiguration
xsi:type='AccountUser'><Client><ID>510006456</ID></Client><ID>${account.accountID}</ID><
BusinessUnitAssignmentConfiguration><BusinessUnitIds><BusinessUnitId>${entitlementValue.ent
itlementID}</BusinessUnitId></BusinessUnitIds><IsDelete>false</IsDelete></BusinessUnitAssign
mentConfiguration></Configuration></Configurations></ConfigureRequestMsg></soap:Body></s
oap:Envelope>",
      "httpHeaders": {
        "Content-Type": "text/xml"
      },
      "successResponses": {
        "statusCode": [200, 201],
        "status": ["success"]
      },
      "unsuccessResponses": {
        "statusCode": [400, 401, 404, 405, 500]
      }
    }
  ]
}

```

```

    },
    {
        "name": "Role",
        "connection": "acctAuth",
        "url": "apple",
        "httpMethod": "POST",
        "httpContentType": "text/xml",
        "httpParams": "<?xml version='1.0' encoding='utf-8'?>
<soap:Envelope xmlns:wsa='http://schemas.xmlsoap.org/ws/2004/08/addressing'
xmlns:soap='http://schemas.xmlsoap.org/soap/envelope/'
xmlns:xsd='http://www.w3.org/2001/XMLSchema'
xmlns:xsi='http://www.w3.org/2001/XMLSchema-
instance'><soap:Header><wsa:Action>Configure</wsa:Action><wsa:MessageID>urn:uuid:04765
906-5469-4a79-a85a-2c9cc3a15040</wsa:MessageID><wsa:To>apple</wsa:To><fueloauth
xmlns='http://exacttarget.com'>${access_token}</fueloauth></soap:Header><soap:Body><Con
figureRequestMsg
xmlns='http://exacttarget.com/wsd/partnerAPI'><Action>assign</Action><Configurations><Co
nfiguration
xsi:type='Role'><ObjectID>${entitlementValue.customproperty5}</ObjectID><AssignmentConfi
gurations><AssignmentConfiguration><AccountUserId>${account.accountID}</AccountUserId>${(
arsTasks.assignedFromRole.customproperty8!=null)?'<BusinessUnitId>'+arsTasks.assignedFromRol
e.customproperty8+'</BusinessUnitId>'+<AssignmentConfigureType>'+<'RoleUserBusinessUnit'+<
/AssignmentConfigureType>:''}<IsDelete>false</IsDelete></AssignmentConfiguration></Assignme
ntConfigurations></Configuration></Configurations></ConfigureRequestMsg></soap:Body></soa
p:Envelope>",
        "httpHeaders": {
            "Content-Type": "text/xml"
        },
        "successResponses": {
            "statusCode": [200, 201],
            "status": ["success"]
        },
        "unsuccessResponses": {
            "statusCode": [400, 401, 404, 405, 500]
        }
    }
]
}

```

Logs

```

2024-04-18/05:30:21.861 [{}] [quartzScheduler_Worker-6] DEBUG rest.RestProvisioningService -
addAccessJSON: [call:[name:BusinessUnit, connection:acctAuth, url:https://apple/Service.asmx,
httpMethod:POST, httpContentType:text/xml, httpParams:<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing"
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance"><soap:Header><wsa:Action>Configure</wsa:Action><wsa:MessageID>urn:uuid:047659

```

```
06-5469-4a79-a85a-2c9cc3a15040</wsa:MessageID><wsa:To>https://apple/Service.asmx</wsa:To><fueloauth xmlns="http://exacttarget.com">${access_token}</fueloauth></soap:Header><soap:Body><ConfigureRequestMsg xmlns="http://exacttarget.com/wSDL/partnerAPI"><Action>assign</Action><Configurations><Configuration xsi:type="AccountUser"><Client><ID>510006456</ID></Client><ID>${account.accountID}</ID><BusinessUnitAssignmentConfiguration><BusinessUnitIds><BusinessUnitId>${entitlementValue.entitlementID}</BusinessUnitId></BusinessUnitIds><IsDelete>false</IsDelete></BusinessUnitAssignmentConfiguration></Configuration></Configurations></ConfigureRequestMsg></soap:Body></soap:Envelope>, httpHeaders:[Content-Type:text/xml], successResponses:[statusCode:[200, 201], status:[success]], unsuccessfulResponses:[statusCode:[400, 401, 404, 405, 500]]], [name:Role, connection:acctAuth, url:https://apple/Service.asmx, httpMethod:POST, httpContentType:text/xml, httpParams:<?xml version="1.0" encoding="utf-8"?> <soap:Envelope xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing" xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"><soap:Header><wsa:Action>Configure</wsa:Action><wsa:MessageID>urn:uuid:04765906-5469-4a79-a85a-2c9cc3a15040</wsa:MessageID><wsa:To>https://apple/Service.asmx</wsa:To><fueloauth xmlns="http://exacttarget.com">${access_token}</fueloauth></soap:Header><soap:Body><ConfigureRequestMsg xmlns="http://exacttarget.com/wSDL/partnerAPI"><Action>assign</Action><Configurations><Configuration xsi:type="Role"><ObjectID>${entitlementValue.customproperty5}</ObjectID><AssignmentConfigurations><AssignmentConfiguration><AccountUserId>${account.accountID}</AccountUserId>${(arsTasks.assignedFromRole.customproperty8!=null)?'<BusinessUnitId>'+arsTasks.assignedFromRole.customproperty8+'</BusinessUnitId>'+<AssignmentConfigureType>'+<RoleUserBusinessUnit>'+</AssignmentConfigureType>:''}<IsDelete>false</IsDelete></AssignmentConfiguration></AssignmentConfigurations></Configuration></Configurations></ConfigureRequestMsg></soap:Body></soap:Envelope>, httpHeaders:[Content-Type:text/xml], successResponses:[statusCode:[200, 201], status:[success]], unsuccessfulResponses:[statusCode:[400, 401, 404, 405, 500]]]]]
2024-04-18/05:30:21.862 [{}] [quartzScheduler_Worker-6] DEBUG rest.RestProvisioningService - arsTasks?.requestAccessKey: null
2024-04-18/05:30:21.862 [{}] [quartzScheduler_Worker-6] DEBUG rest.RestProvisioningService - Adding entitlement PRODCA to user TestTPI320@pmintlqa.net
2024-04-18/05:30:21.862 [{}] [quartzScheduler_Worker-6] DEBUG rest.RestProvisioningService - arsTasks.entitlement_valueKey: PRODCA
2024-04-18/05:30:21.862 [{}] [quartzScheduler_Worker-6] DEBUG rest.RestProvisioningService - arsTasks.entitlement_valueKey.entitlementID: 510009494
2024-04-18/05:30:21.862 [{}] [quartzScheduler_Worker-6] DEBUG rest.RestProvisioningService - accounts: ttpi320@pmintl.net.reev
2024-04-18/05:30:21.862 [{}] [quartzScheduler_Worker-6] DEBUG rest.RestProvisioningService - accounts.accountID: 710426354
2024-04-18/05:30:21.893 [{}] [quartzScheduler_Worker-6] DEBUG rest.RestProvisioningService - params.memento.addAccessJSON : [call:[name:BusinessUnit, connection:acctAuth, url:https://apple/Service.asmx, httpMethod:POST, httpContentType:text/xml, httpParams:<?xml version="1.0" encoding="utf-8"?> <soap:Envelope xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing" xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
```

```
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance"><soap:Header><wsa:Action>Configure</wsa:Action><wsa:MessageID>urn:uuid:047659
06-5469-4a79-a85a-
2c9cc3a15040</wsa:MessageID><wsa:To>https://apple/Service.asmx</wsa:To><fueloauth
xmlns="http://exacttarget.com">${access_token}</fueloauth></soap:Header><soap:Body><Confi
gureRequestMsg
xmlns="http://exacttarget.com/wsd/partnerAPI"><Action>assign</Action><Configurations><Confi
guration
xsi:type="AccountUser"><Client><ID>510006456</ID></Client><ID>${account.accountID}</ID><B
usinessUnitAssignmentConfiguration><BusinessUnitIds><BusinessUnitId>${entitlementValue.entit
lementID}</BusinessUnitId></BusinessUnitIds><IsDelete>>false</IsDelete></BusinessUnitAssignm
entConfiguration></Configuration></Configurations></ConfigureRequestMsg></soap:Body></soa
p:Envelope>, httpHeaders:[Content-Type:text/xml], successResponses:[statusCode:[200, 201],
status:[success]], unsuccessfulResponses:[statusCode:[400, 401, 404, 405, 500]]], [name:Role,
connection:acctAuth, url:https://apple/Service.asmx, httpMethod:POST,
httpContentType:text/xml, httpParams:<?xml version="1.0" encoding="utf-8"?> <soap:Envelope
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing"
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance"><soap:Header><wsa:Action>Configure</wsa:Action><wsa:MessageID>urn:uuid:047659
06-5469-4a79-a85a-
2c9cc3a15040</wsa:MessageID><wsa:To>https://apple/Service.asmx</wsa:To><fueloauth
xmlns="http://exacttarget.com">${access_token}</fueloauth></soap:Header><soap:Body><Confi
gureRequestMsg
xmlns="http://exacttarget.com/wsd/partnerAPI"><Action>assign</Action><Configurations><Confi
guration
xsi:type="Role"><ObjectID>${entitlementValue.customproperty5}</ObjectID><AssignmentConfigu
rations><AssignmentConfiguration><AccountUserId>${account.accountID}</AccountUserId>${(ars
Tasks.assignedFromRole.customproperty8!=null)?'<BusinessUnitId>'+arsTasks.assignedFromRole.c
ustomproperty8+'</BusinessUnitId>'+<AssignmentConfigureType>'+<RoleUserBusinessUnit>'+</As
signmentConfigureType>:'.'}<IsDelete>>false</IsDelete></AssignmentConfiguration></AssignmentC
onfigurations></Configuration></Configurations></ConfigureRequestMsg></soap:Body></soap:E
nvelope>, httpHeaders:[Content-Type:text/xml], successResponses:[statusCode:[200, 201],
status:[success]], unsuccessfulResponses:[statusCode:[400, 401, 404, 405, 500]]]]]
2024-04-18/05:30:21.893 [{} [quartzScheduler_Worker-6] DEBUG rest.RestProvisioningService -
currentEntitlementJsonMap : [call:[name:BusinessUnit, connection:acctAuth,
url:https://apple/Service.asmx, httpMethod:POST, httpContentType:text/xml, httpParams:<?xml
version="1.0" encoding="utf-8"?> <soap:Envelope
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing"
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance"><soap:Header><wsa:Action>Configure</wsa:Action><wsa:MessageID>urn:uuid:047659
06-5469-4a79-a85a-
2c9cc3a15040</wsa:MessageID><wsa:To>https://apple/Service.asmx</wsa:To><fueloauth
xmlns="http://exacttarget.com">${access_token}</fueloauth></soap:Header><soap:Body><Confi
gureRequestMsg
xmlns="http://exacttarget.com/wsd/partnerAPI"><Action>assign</Action><Configurations><Confi
guration
```

```
xsi:type="AccountUser"><Client><ID>510006456</ID></Client><ID>${account.accountID}</ID><B
usinessUnitAssignmentConfiguration><BusinessUnitIds><BusinessUnitId>${entitlementValue.entit
lementID}</BusinessUnitId></BusinessUnitIds><IsDelete>>false</IsDelete></BusinessUnitAssignm
entConfiguration></Configuration></Configurations></ConfigureRequestMsg></soap:Body></soa
p:Envelope>, httpHeaders:[Content-Type:text/xml], successResponses:[statusCode:[200, 201],
status:[success]], unsuccessfulResponses:[statusCode:[400, 401, 404, 405, 500]]], [name:Role,
connection:acctAuth, url:https://apple/Service.asmx, httpMethod:POST,
httpContentType:text/xml, httpParams:<?xml version="1.0" encoding="utf-8"?> <soap:Envelope
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing"
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance"><soap:Header><wsa:Action>Configure</wsa:Action><wsa:MessageID>urn:uuid:047659
06-5469-4a79-a85a-
2c9cc3a15040</wsa:MessageID><wsa:To>https://apple/Service.asmx</wsa:To><fueloauth
xmlns="http://exacttarget.com">${access_token}</fueloauth></soap:Header><soap:Body><Confi
gureRequestMsg
xmlns="http://exacttarget.com/wSDL/partnerAPI"><Action>assign</Action><Configurations><Confi
guration
xsi:type="Role"><ObjectID>${entitlementValue.customproperty5}</ObjectID><AssignmentConfigu
rations><AssignmentConfiguration><AccountUserId>${account.accountID}</AccountUserId>${(ars
Tasks.assignedFromRole.customproperty8!=null)?'<BusinessUnitId>'+arsTasks.assignedFromRole.c
ustomproperty8+'</BusinessUnitId>'+<AssignmentConfigureType>'+<RoleUserBusinessUnit>'+</As
signmentConfigureType>'.':"}<IsDelete>>false</IsDelete></AssignmentConfiguration></AssignmentC
onfigurations></Configuration></Configurations></ConfigureRequestMsg></soap:Body></soap:E
nvelope>, httpHeaders:[Content-Type:text/xml], successResponses:[statusCode:[200, 201],
status:[success]], unsuccessfulResponses:[statusCode:[400, 401, 404, 405, 500]]]] |
entitlementname: BusinessUnit
2024-04-18/05:30:21.893 [{}] [quartzScheduler_Worker-6] DEBUG rest.RestProvisioningService -
currentEntitlementJsonMap : [call:[[name:BusinessUnit, connection:acctAuth,
url:https://apple/Service.asmx, httpMethod:POST, httpContentType:text/xml, httpParams:<?xml
version="1.0" encoding="utf-8"?> <soap:Envelope
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing"
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance"><soap:Header><wsa:Action>Configure</wsa:Action><wsa:MessageID>urn:uuid:047659
06-5469-4a79-a85a-
2c9cc3a15040</wsa:MessageID><wsa:To>https://apple/Service.asmx</wsa:To><fueloauth
xmlns="http://exacttarget.com">${access_token}</fueloauth></soap:Header><soap:Body><Confi
gureRequestMsg
xmlns="http://exacttarget.com/wSDL/partnerAPI"><Action>assign</Action><Configurations><Confi
guration
xsi:type="AccountUser"><Client><ID>510006456</ID></Client><ID>${account.accountID}</ID><B
usinessUnitAssignmentConfiguration><BusinessUnitIds><BusinessUnitId>${entitlementValue.entit
lementID}</BusinessUnitId></BusinessUnitIds><IsDelete>>false</IsDelete></BusinessUnitAssignm
entConfiguration></Configuration></Configurations></ConfigureRequestMsg></soap:Body></soa
p:Envelope>, httpHeaders:[Content-Type:text/xml], successResponses:[statusCode:[200, 201],
status:[success]], unsuccessfulResponses:[statusCode:[400, 401, 404, 405, 500]]]]]
2024-04-18/05:30:21.893 [{}] [quartzScheduler_Worker-6] DEBUG rest.RestProvisioningService -
params.memento.addAccessJSON: [call:[[name:BusinessUnit, connection:acctAuth,
```

```
url:https://apple/Service.asmx, httpMethod:POST, httpContentType:text/xml, httpParams:<?xml
version="1.0" encoding="utf-8"?> <soap:Envelope
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing"
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance"><soap:Header><wsa:Action>Configure</wsa:Action><wsa:MessageID>urn:uuid:047659
06-5469-4a79-a85a-
2c9cc3a15040</wsa:MessageID><wsa:To>https://apple/Service.asmx</wsa:To><fueloauth
xmlns="http://exacttarget.com">${access_token}</fueloauth></soap:Header><soap:Body><Confi
gureRequestMsg
xmlns="http://exacttarget.com/wsd/partnerAPI"><Action>assign</Action><Configurations><Confi
guration
xsi:type="AccountUser"><Client><ID>510006456</ID></Client><ID>${account.accountID}</ID><B
usinessUnitAssignmentConfiguration><BusinessUnitIds><BusinessUnitId>${entitlementValue.entit
lementID}</BusinessUnitId></BusinessUnitIds><IsDelete>false</IsDelete></BusinessUnitAssignm
entConfiguration></Configuration></Configurations></ConfigureRequestMsg></soap:Body></soa
p:Envelope>, httpHeaders:[Content-Type:text/xml], successResponses:[statusCode:[200, 201],
status:[success]], unsuccessResponses:[statusCode:[400, 401, 404, 405, 500]]]]]
2024-04-18/05:30:21.893 [{}] [quartzScheduler_Worker-6] DEBUG rest.RestProvisioningService -
Total Call: 1
2024-04-18/05:30:21.913 [{}] [quartzScheduler_Worker-6] DEBUG rest.RestProvisioningService -
connection: acctAuth
2024-04-18/05:30:21.924 [{}] [quartzScheduler_Worker-6] DEBUG rest.RestProvisioningService -
Task Response: null
2024-04-18/05:30:21.924 [{}] [quartzScheduler_Worker-6] DEBUG rest.RestProvisioningService -
Result: false
2024-04-18/05:30:21.926 [{}] [quartzScheduler_Worker-6] DEBUG rest.RestProvisioningService -
in reinitializeAddAndRemoveAccessJson
2024-04-18/05:30:21.928 [{}] [quartzScheduler_Worker-6] DEBUG rest.RestProvisioningService -
addAccessJSON: [call:[name:BusinessUnit, connection:acctAuth, url:https://apple/Service.asmx,
httpMethod:POST, httpContentType:text/xml, httpParams:<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing"
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance"><soap:Header><wsa:Action>Configure</wsa:Action><wsa:MessageID>urn:uuid:047659
06-5469-4a79-a85a-
2c9cc3a15040</wsa:MessageID><wsa:To>https://apple/Service.asmx</wsa:To><fueloauth
xmlns="http://exacttarget.com">${access_token}</fueloauth></soap:Header><soap:Body><Confi
gureRequestMsg
xmlns="http://exacttarget.com/wsd/partnerAPI"><Action>assign</Action><Configurations><Confi
guration
xsi:type="AccountUser"><Client><ID>510006456</ID></Client><ID>${account.accountID}</ID><B
usinessUnitAssignmentConfiguration><BusinessUnitIds><BusinessUnitId>${entitlementValue.entit
lementID}</BusinessUnitId></BusinessUnitIds><IsDelete>false</IsDelete></BusinessUnitAssignm
entConfiguration></Configuration></Configurations></ConfigureRequestMsg></soap:Body></soa
p:Envelope>, httpHeaders:[Content-Type:text/xml], successResponses:[statusCode:[200, 201],
status:[success]], unsuccessResponses:[statusCode:[400, 401, 404, 405, 500]]], [name:Role,
connection:acctAuth, url:https://apple/Service.asmx, httpMethod:POST,
httpContentType:text/xml, httpParams:<?xml version="1.0" encoding="utf-8"?> <soap:Envelope
```



```
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing"
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance"><soap:Header><wsa:Action>Configure</wsa:Action><wsa:MessageID>urn:uuid:047659
06-5469-4a79-a85a-
2c9cc3a15040</wsa:MessageID><wsa:To>https://apple/Service.asmx</wsa:To><fueloauth
xmlns="http://exacttarget.com">${access_token}</fueloauth></soap:Header><soap:Body><Confi
gureRequestMsg
xmlns="http://exacttarget.com/wsdl/partnerAPI"><Action>assign</Action><Configurations><Confi
guration
xsi:type="Role"><ObjectID>${entitlementValue.customproperty5}</ObjectID><AssignmentConfigu
rations><AssignmentConfiguration><AccountUserId>${account.accountID}</AccountUserId>${(ars
Tasks.assignedFromRole.customproperty8!=null)?<BusinessUnitId>+arsTasks.assignedFromRole.c
ustomproperty8+</BusinessUnitId>+'<AssignmentConfigureType>'+RoleUserBusinessUnit'+</As
signmentConfigureType>:''}<IsDelete>>false</IsDelete></AssignmentConfiguration></AssignmentC
onfigurations></Configuration></Configurations></ConfigureRequestMsg></soap:Body></soap:E
nvelope>, httpHeaders:[Content-Type:text/xml], successResponses:[statusCode:[200, 201],
status:[success]], unsuccessfulResponses:[statusCode:[400, 401, 404, 405, 500]]]]]
2024-04-18/05:30:21.928 [{}] [quartzScheduler_Worker-6] DEBUG rest.RestProvisioningService -
arsTasks?.requestAccessKey: null
2024-04-18/05:30:21.928 [{}] [quartzScheduler_Worker-6] DEBUG rest.RestProvisioningService -
Adding entitlement PRODMEA2 to user TestTPI320@pmintlqa.net
2024-04-18/05:30:21.928 [{}] [quartzScheduler_Worker-6] DEBUG rest.RestProvisioningService -
arsTasks.entitlement_valueKey: PRODMEA2
2024-04-18/05:30:21.928 [{}] [quartzScheduler_Worker-6] DEBUG rest.RestProvisioningService -
arsTasks.entitlement_valueKey.entitlementID: 510010170
2024-04-18/05:30:21.929 [{}] [quartzScheduler_Worker-6] DEBUG rest.RestProvisioningService -
accounts: ttpi320@pmintl.net.reev
2024-04-18/05:30:21.929 [{}] [quartzScheduler_Worker-6] DEBUG rest.RestProvisioningService -
accounts.accountID: 710426354
2024-04-18/05:30:21.933 [{}] [quartzScheduler_Worker-6] DEBUG rest.RestProvisioningService -
params.memento.addAccessJSON : [call:[[name:BusinessUnit, connection:acctAuth,
url:https://apple/Service.asmx, httpMethod:POST, httpContentType:text/xml, httpParams:<?xml
version="1.0" encoding="utf-8"?> <soap:Envelope
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing"
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance"><soap:Header><wsa:Action>Configure</wsa:Action><wsa:MessageID>urn:uuid:047659
06-5469-4a79-a85a-
2c9cc3a15040</wsa:MessageID><wsa:To>https://apple/Service.asmx</wsa:To><fueloauth
xmlns="http://exacttarget.com">${access_token}</fueloauth></soap:Header><soap:Body><Confi
gureRequestMsg
xmlns="http://exacttarget.com/wsdl/partnerAPI"><Action>assign</Action><Configurations><Confi
guration
xsi:type="AccountUser"><Client><ID>510006456</ID></Client><ID>${account.accountID}</ID><B
usinessUnitAssignmentConfiguration><BusinessUnitIds><BusinessUnitId>${entitlementValue.entit
lementID}</BusinessUnitId></BusinessUnitIds><IsDelete>>false</IsDelete></BusinessUnitAssignm
entConfiguration></Configuration></Configurations></ConfigureRequestMsg></soap:Body></soa
p:Envelope>, httpHeaders:[Content-Type:text/xml], successResponses:[statusCode:[200, 201],
```

```
status:[success]], unsuccessfulResponses:[statusCode:[400, 401, 404, 405, 500]]], [name:Role,
connection:acctAuth, url:https://apple/Service.asmx, httpMethod:POST,
httpContentType:text/xml, httpParams:<?xml version="1.0" encoding="utf-8"?> <soap:Envelope
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing"
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance"><soap:Header><wsa:Action>Configure</wsa:Action><wsa:MessageID>urn:uuid:047659
06-5469-4a79-a85a-
2c9cc3a15040</wsa:MessageID><wsa:To>https://apple/Service.asmx</wsa:To><fueloauth
xmlns="http://exacttarget.com">${access_token}</fueloauth></soap:Header><soap:Body><Confi
gureRequestMsg
xmlns="http://exacttarget.com/wsd/partnerAPI"><Action>assign</Action><Configurations><Confi
guration
xsi:type="Role"><ObjectID>${entitlementValue.customproperty5}</ObjectID><AssignmentConfigu
rations><AssignmentConfiguration><AccountUserId>${account.accountID}</AccountUserId>${(ars
Tasks.assignedFromRole.customproperty8!=null)?'<BusinessUnitId>'+arsTasks.assignedFromRole.c
ustomproperty8+'</BusinessUnitId>'+<AssignmentConfigureType>'+RoleUserBusinessUnit'+</As
signmentConfigureType>:'.'}<IsDelete>false</IsDelete></AssignmentConfiguration></AssignmentC
onfigurations></Configuration></Configurations></ConfigureRequestMsg></soap:Body></soap:E
nvelope>, httpHeaders:[Content-Type:text/xml], successResponses:[statusCode:[200, 201],
status:[success]], unsuccessfulResponses:[statusCode:[400, 401, 404, 405, 500]]]]]
2024-04-18/05:30:21.933 [{}] [quartzScheduler_Worker-6] DEBUG rest.RestProvisioningService -
currentEntitlementJsonMap : [call:[[name:BusinessUnit, connection:acctAuth,
url:https://apple/Service.asmx, httpMethod:POST, httpContentType:text/xml, httpParams:<?xml
version="1.0" encoding="utf-8"?> <soap:Envelope
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing"
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance"><soap:Header><wsa:Action>Configure</wsa:Action><wsa:MessageID>urn:uuid:047659
06-5469-4a79-a85a-
2c9cc3a15040</wsa:MessageID><wsa:To>https://apple/Service.asmx</wsa:To><fueloauth
xmlns="http://exacttarget.com">${access_token}</fueloauth></soap:Header><soap:Body><Confi
gureRequestMsg
xmlns="http://exacttarget.com/wsd/partnerAPI"><Action>assign</Action><Configurations><Confi
guration
xsi:type="AccountUser"><Client><ID>510006456</ID></Client><ID>${account.accountID}</ID><B
usinessUnitAssignmentConfiguration><BusinessUnitIds><BusinessUnitId>${entitlementValue.entit
lementID}</BusinessUnitId></BusinessUnitIds><IsDelete>false</IsDelete></BusinessUnitAssignm
entConfiguration></Configuration></Configurations></ConfigureRequestMsg></soap:Body></soa
p:Envelope>, httpHeaders:[Content-Type:text/xml], successResponses:[statusCode:[200, 201],
status:[success]], unsuccessfulResponses:[statusCode:[400, 401, 404, 405, 500]]], [name:Role,
connection:acctAuth, url:https://apple/Service.asmx, httpMethod:POST,
httpContentType:text/xml, httpParams:<?xml version="1.0" encoding="utf-8"?> <soap:Envelope
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing"
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance"><soap:Header><wsa:Action>Configure</wsa:Action><wsa:MessageID>urn:uuid:047659
06-5469-4a79-a85a-
```

2c9cc3a15040</wsa:MessageID><wsa:To>https://apple/Service.asmx</wsa:To><fueloauth xmlns="http://exacttarget.com">\${access_token}</fueloauth></soap:Header><soap:Body><ConfigureRequestMsg xmlns="http://exacttarget.com/wsd/partnerAPI"><Action>assign</Action><Configurations><Configuration xsi:type="Role"><ObjectID>\${entitlementValue.customproperty5}</ObjectID><AssignmentConfigurations><AssignmentConfiguration><AccountUserId>\${account.accountID}</AccountUserId>\${(arsTasks.assignedFromRole.customproperty8!=null)?'<BusinessUnitId>'+arsTasks.assignedFromRole.customproperty8+'</BusinessUnitId>'+<AssignmentConfigureType>'<RoleUserBusinessUnit>'</AssignmentConfigureType>:'}<IsDelete>>false</IsDelete></AssignmentConfiguration></AssignmentConfigurations></Configuration></Configurations></ConfigureRequestMsg></soap:Body></soap:Envelope>, httpHeaders:[Content-Type:text/xml], successResponses:[statusCode:[200, 201], status:[success]], unsuccessfulResponses:[statusCode:[400, 401, 404, 405, 500]]]] | entitlementname: BusinessUnit

2024-04-18/05:30:21.933 [{}] [quartzScheduler_Worker-6] DEBUG rest.RestProvisioningService - currentEntitlementJsonMap : [call:[name:BusinessUnit, connection:acctAuth, url:https://apple/Service.asmx, httpMethod:POST, httpContentType:text/xml, httpParams:<?xml version="1.0" encoding="utf-8"?> <soap:Envelope xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing" xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"><soap:Header><wsa:Action>Configure</wsa:Action><wsa:MessageID>urn:uuid:04765906-5469-4a79-a85a-2c9cc3a15040</wsa:MessageID><wsa:To>https://apple/Service.asmx</wsa:To><fueloauth xmlns="http://exacttarget.com">\${access_token}</fueloauth></soap:Header><soap:Body><ConfigureRequestMsg xmlns="http://exacttarget.com/wsd/partnerAPI"><Action>assign</Action><Configurations><Configuration xsi:type="AccountUser"><Client><ID>510006456</ID></Client><ID>\${account.accountID}</ID><BusinessUnitAssignmentConfiguration><BusinessUnitIds><BusinessUnitId>\${entitlementValue.entitlementID}</BusinessUnitId></BusinessUnitIds><IsDelete>>false</IsDelete></BusinessUnitAssignmentConfiguration></Configuration></Configurations></ConfigureRequestMsg></soap:Body></soap:Envelope>, httpHeaders:[Content-Type:text/xml], successResponses:[statusCode:[200, 201], status:[success]], unsuccessfulResponses:[statusCode:[400, 401, 404, 405, 500]]]]

2024-04-18/05:30:21.933 [{}] [quartzScheduler_Worker-6] DEBUG rest.RestProvisioningService - params.memento.addAccessJSON: [call:[name:BusinessUnit, connection:acctAuth, url:https://apple/Service.asmx, httpMethod:POST, httpContentType:text/xml, httpParams:<?xml version="1.0" encoding="utf-8"?> <soap:Envelope xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing" xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"><soap:Header><wsa:Action>Configure</wsa:Action><wsa:MessageID>urn:uuid:04765906-5469-4a79-a85a-2c9cc3a15040</wsa:MessageID><wsa:To>https://apple/Service.asmx</wsa:To><fueloauth xmlns="http://exacttarget.com">\${access_token}</fueloauth></soap:Header><soap:Body><ConfigureRequestMsg xmlns="http://exacttarget.com/wsd/partnerAPI"><Action>assign</Action><Configurations><Configuration xsi:type="AccountUser"><Client><ID>510006456</ID></Client><ID>\${account.accountID}</ID><B

```
businessUnitAssignmentConfiguration><BusinessUnitIds><BusinessUnitId>${entitlementValue.entit
lementID}</BusinessUnitId></BusinessUnitIds><IsDelete>>false</IsDelete></BusinessUnitAssignm
entConfiguration></Configuration></Configurations></ConfigureRequestMsg></soap:Body></soa
p:Envelope>, httpHeaders:[Content-Type:text/xml], successResponses:[statusCode:[200, 201],
status:[success]], unsuccessfulResponses:[statusCode:[400, 401, 404, 405, 500]]]]
2024-04-18/05:30:21.933 [{}] [quartzScheduler_Worker-6] DEBUG rest.RestProvisioningService -
Total Call: 1
2024-04-18/05:30:21.952 [{}] [quartzScheduler_Worker-6] DEBUG rest.RestProvisioningService -
connection: acctAuth
2024-04-18/05:30:21.960 [{}] [quartzScheduler_Worker-6] DEBUG rest.RestProvisioningService -
Task Response: null
2024-04-18/05:30:21.960 [{}] [quartzScheduler_Worker-6] DEBUG rest.RestProvisioningService -
Result: false
2024-04-18/05:30:21.962 [{}] [quartzScheduler_Worker-6] DEBUG rest.RestProvisioningService -
in reinitializeAddAndRemoveAccessJson
```