# Entitlement Owner Upload Using SchemaEntitlementUpload

Requirement:

We tried to import disconnected applications entitlement using schema based entitlement import but unable to load the entitlement owners using entitlements_values.sav and csv files

As per the below document, entitlements owners can be imported using entitlement_values.sav file

Using above sample file we are only able to upload the entitlements but not owners of entitlements

Though we can able to load entitlement owners using the entitlement_owners.sav file we are looking for a way to load entitlement owner only using entitlement_values.sav and csv files

Document followed :

https://docs.saviyntcloud.com/bundle/SSM-Admin-v55x/page/Content/Chapter04-Onboarding-and-Managing-Applications/5.5.x/Uploading-Entitlements-using-Schema-Based-Upload.htm

Steps Followed:

1. Click admin→settings→file directory → SAV file
2. Have imported the .sav file

Have prepared a .sav file and .csv file as per the Saviynt suggestion as per the above document and have tried multiple formats of file changes

Reference file formats used:


```
SKIP_NO_OF_LINES=1
FILE_NAME_STARTS_WITH=sandbox_ENTITLEMENT
CREATE_ENTITLEMENTTYPE_IF_NOT_EXIST_IN_ENDPOINT=YES
FILE_IMPORT_DELIMETER=,
ENTITLEMENT_VALUES_NOT_IN_FILE_ACTION=NOACTION
CREATE_SECURITYSYSTEM_IF_NOT_EXIST=NOACTION
CREATE_ENDPOINT_IF_NOT_EXIST_IN_SECURITYSYSTEM=NOACTION
securitysystems,endpoints,entitlementtype,entitlement_value,description,risk,entitlement_owner,status,soxcritical,customproperty3,customproperty4,customproperty5,customproperty6,customproperty7,customproperty8,customproperty9,customproperty10,customproperty11
```



```
SKIP_NO_OF_LINES=1
FILE_NAME_STARTS_WITH=sandbox_ENTITLEMENT
CREATE_ENTITLEMENTTYPE_IF_NOT_EXIST_IN_ENDPOINT=YES
FILE_IMPORT_DELIMETER=,
ENTITLEMENT_VALUES_NOT_IN_FILE_ACTION=NOACTION
CREATE_SECURITYSYSTEM_IF_NOT_EXIST=NOACTION
CREATE_ENDPOINT_IF_NOT_EXIST_IN_SECURITYSYSTEM=NOACTION
securitysystems,endpoints,entitlementtype,entitlement_value,description,risk,entitlement_owner,rank,status,soxcritical,customproperty3,customproperty4,customproperty5,customproperty6,customproperty7,customproperty8,customproperty9,customproperty10,customproperty11
```



```
SKIP_NO_OF_LINES=1
FILE_NAME_STARTS_WITH=sandbox_ENTITLEMENT
CREATE_ENTITLEMENTTYPE_IF_NOT_EXIST_IN_ENDPOINT=YES
FILE_IMPORT_DELIMETER=,
ENTITLEMENT_VALUES_NOT_IN_FILE_ACTION=NOACTION
CREATE_SECURITYSYSTEM_IF_NOT_EXIST=NOACTION
CREATE_ENDPOINT_IF_NOT_EXIST_IN_SECURITYSYSTEM=NOACTION
securitysystems,endpoints,entitlementtype,entitlement_value,description,risk,owner,rank,status,soxcritical,customproperty3,customproperty4,customproperty5,customproperty6,customproperty7,customproperty8,customproperty9,customproperty10,customproperty11
```

Sample last tried SAV and CSV files :


```
SKIP_NO_OF_LINES=1
FILE_NAME_STARTS_WITH=sandbox_ENTITLEMENT
CREATE_ENTITLEMENTTYPE_IF_NOT_EXIST_IN_ENDPOINT=YES
FILE_IMPORT_DELIMETER=,
ENTITLEMENT_VALUES_NOT_IN_FILE_ACTION=NOACTION
CREATE_SECURITYSYSTEM_IF_NOT_EXIST=NOACTION
CREATE_ENDPOINT_IF_NOT_EXIST_IN_SECURITYSYSTEM=NOACTION
securitysystems,endpoints,entitlementtype,entitlement_value,description,risk,entitlement_owner,status,soxcritical,customproperty3,customproperty4,customproperty5,customproperty6,customproperty7,customproperty8,customproperty9,customproperty10,customproperty11
```

Using above formats we can load new entitlements but not owners of entitlements

And we can load owners using entitlement_owner.sav file

Job Configured:

Logs and sample files attached on the ticket please refer and let us know if we need to add anything else in the files to load owners using the entitlement_values.sav file

Kindly provide solution at priority.